## CE8000 SPECIFICATIONS











### CE8000-40



## CE8000-60



## CE8000-130



### **MODEL:**

Configuration: Grit-rolling Plotter Driven by a Digital Servo Motor - 32bit CPU • Buffer Memory: 2MB

Maximum Cutting Width: 15" x 164' 24" x 164' 50" x 164'

\* Guaranteed Tracking: 14"×79" \*1 23" × 79" / 23"× 16.4' \*1/\*2 50"×79" / 49"×16.4' \*1/\*2

Mountable Media Width: 2" to 19" 2" to 30" 2" to 54"

Maximum Cutting Speed: 24"/s in all directions 35"/s @ 45° direction 39"/s @ 45° direction

Maximum Cutting Force: 4.41N (450gf)

Number of Push Rollers: 2 Rollers 2 Rollers 3 Rollers

Specifiable Speeds (cm/s): 1 - 10, 15, 20, 25, 30, 35 1 - 10, 15, 20, 25, 30, 35 1 - 10, 15, 20, 25, 30, 35, 49

> 40, 45, 50, 55, 60, 64 40, 45, 50, 55, 60, 64 45, 50, 55, 60, 65, 70, 71

20 lbs. 37 lbs. Maximum Media Weight: 11 lbs.

Minimum Character Size: 5 mm (0.197".) alphanumeric Helvetica med. Font \*1

Barcode \ Data Link: YES

Repeatable Accuracy: 0.1 mm or less / in unit of 2 m (Designated film and cut conditions)

Interface: USB 2.0 (Full Speed) • Wireless LAN IEEE 802.11b/g/n • Ethernet 10 BASE-T/100 BASE-TX \*5

Programmable Resolution: GP-GL™ mode: 0.1 /0.05 / 0.025 / 0.01 mm • HP-GL \*3: 0.025mm

Mechanical Resolution: 0.005 mm (5µm)

Resident Command Sets: GP-GL/HP-GL \*3 (Control panel switching, Auto switching)

Condition Settings: Dual Configuration - 2 User Settings with 8 Separate Condition Settings per User

LCD Display: Touch Panel Screen (240-dot x 128-dot)

External Dimensions: w: 26.65" d: 17.76" h: 10.5" w: 35.55" d: 23" h: 42.4" w: 65" d: 32" h: 42.3"

Weight (approx) \*4: 24.25 lbs. (11 kg) 46.3 lbs. (21 kg) 106 lbs. (40 kg) \*4

Compatible Media: Mono-vinyl chloride media, fluorescent media, and reflective media up to 0.25 mm thick

(Excluding high-intensity reflective film)

Software: Cutting Master 5 - Plugin **Graphtec Studio 2** 

**Windows Driver** Mac OS Software

Adobe Illustrator - Mac/Win CorelDraw - Win

AutoCad / Vector Drawing Software Requiring a Driver

**GRAPHTEC STANDARD WARRANTY: 2 YEARS PARTS & LABOR** WITH ONLINE PRODUCT REGISTRATION



\*1: Varies depending on the type of Graphtec- authorized film and the cutting conditions.

\*2: When using basket.

\*3: HP-GL is a registered trademark of the US Hewlett Packard Company.

\*4: Roll-medium tray or stand is included.

\*5: Ethernet machine available

rev 8-24



## **BEST IN IT'S CLASS FOR PRECISION AND QUALITY**









## **FEATURE HIGHLIGHTS**

**NEW Touch Screen with Keypad** 

**NEW Wireless LAN Module** 

Improved Tool Holder Design

**Magnetic Storage Compartment** 

## **CAPABILITIES**

# **ACCESSORIES**

### **UPDATED BLADE HOLDER DESIGN**



PRECISION CUTTING SOLUTIONS

### **Optional Accessories Available for Purchase:**

- Media Basket Carrier Sheet Table
- Fiber-tip Pen / Holder • Blade Loupe
- Roll Media Tray • USB Cable

## **Included Design Software and Plugin:**

Dedicated design software and plug-ins provide all of the tools necessary to create elegant and professional products.

CM5

- Cutting Master 5 Plug-in: Adobe Illustrator (PC / MAC) CorelDRAW (PC)
- Graphtec Studio 2: Design Software - PC / MAC
- Windows Driver







**450 gf Cutting Force** 39"/s Cutting Speed

CE8000 SERIES

## **NEW Control Panel**

- Touch Screen AND Mechanical Keys
- New Menu Structure
- Integrated Firmware Updates



## **MORE INTUITIVE MENU STRUCTURE**

Revisions to the menu are more intuitive and efficient utilizing the New Touch Screen Feature with icons that allow for easier operation.

### **EASY FIRMWARE UPDATING**

Check and download firmware via GS2 or CM5 and install directly using a USB Flash Drive or USB cable (not supplied).

### **HOLD DOWN FORCE CONTROL**

CE8000-130 center push roller can engage / disengage



Hold-down force: **MEDIUM** 

Window Tinting Film



Hold-down force: OFF

## **GRAPHTEC 2 YEAR STANDARD WARRANTY**

## **MARKET APPLICATIONS**



POP - Packaging



Party Decorations





**Vinul Decals** 



DTF / Heat Transfer

Product Labels

## **ENGINEERED FOR HIGHER PRODUCTIVITY**

The **Graphtec CE8000 Series** cutting plotter is the perfect solution for those looking to increase production with greater efficiency for **SIGNAGE Graphics** • **PRINT & CUT Graphics** • **Automotive Markets** • **Garment Decoration** and many more....

A NEW TOUCH PANEL with MECHANICAL KEYS gives users more flexibility with it's **Blind Touch Operation** enabling the operator to continually keep eyes on media while feeding.

**NEW Wireless LAN:** The CE8000 includes a wireless connection module which improves flexibility of installation locations.

**NEW Tool Holder:** Improved design makes it easier to change tools and blade position by sliding the stopper forward and back.



Media Set Assist: Suction fans help to prevent media lift and shift when feeding

### **Email Notification:**

Job Completion and Error Notifications can be sent to to users by email


**Separate Tool Positions** for contour and die cutting ensures the longevity of your blades and cutting strip when creating decals and graphics that are effortlessly popped out of sheet and roll media.

Data Link Barcode System allows cutting different jobs with different data sequentially. By reading the Graphtec barcode, the CE8000 automatically detects its linked data from a PC or USB Drive.

The CE8000 Series barcode data management system allows the **Continuous Cutting** of multiple jobs with different data sequentially by detecting the Start Mark of each new job.

**Advanced Registration Mark Sensing** system delivers precise Print & Cut results using sensors to detect registration marks and perform axis alignment. Efficiency boosting functions improve productivity for Print & Cut applications such as labels and decals.

**Expanded Contour Cutting Area** expands the Print & Cut area to include objects outside of the registration marks. Production efficiency is enhanced and media waste is reduced.



**Expanded Contour Cutting Area** 





**Reversed Color Registration Marks** 

